

**Safety Data Sheet**  
 according to 1907/2006/EC (REACH),  
 1272/2008/EC (CLP), and GHS

Printing date 25.05.2012

Revision: 24.05.2012

## 1 Identification of the Substance/mixture and of the Company/Undertaking

### 1.1 Product identifier

Trade name: **SOLUJET**

Application of the substance / the preparation: Cleaning material/ Detergent

### 1.3 Details of the supplier of the Safety Data Sheet

#### Manufacturer/Supplier:

Alconox, Inc.  
 30 Glenn St., Suite 309  
 White Plains, NY 10603  
 Phone: 914-948-4040



Further information obtainable from: Product Safety Department

### 1.4 Emergency telephone number:

ChemTel Inc.  
 (800)255-3924, +1 (813)248-0585

## 2 Hazards Identification

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008:



GHS05 corrosion

Skin Corr. 1A; H314: Causes severe skin burns and eye damage



GHS07

Acute Tox. 4; H302: Harmful if swallowed.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC:



C; Corrosive

R35: Causes severe burns.



Xn; Harmful

R22: Harmful if swallowed.



Xi; Irritant

R41: Risk of serious damage to eyes.

### Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

#### Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data

### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008:

The product is classified and labelled according to the CLP regulation.

**Safety Data Sheet**  
 according to 1907/2006/EC (REACH),  
 1272/2008/EC (CLP), and GHS

Printing date 25.05.2012

Revision: 23.05.2012

Trade name: SOLUJET

**Hazard pictograms**

GHS05 GHS07

**Signal word:** Danger**Hazard-determining components of labelling:**

Potassium hydroxide  
 Silicic acid, sodium salt

**Hazard statements:**


H302: Harmful if swallowed. Contact with acids liberates toxic gas.  
 H314: Causes severe skin burns and eye damage.

**Precautionary statements:**

P260: Do not breathe dust/fume/gas/mist/vapours/spray.  
 P280: Wear protective gloves/protective clothing/eye protection/face protection.  
 P264: Wash thoroughly after handling.  
 P270: Do not eat, drink or smoke when using this product.  
 P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.  
 P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P310: Immediately call a POISON CENTER or doctor/physician.  
 P321: Specific treatment (see on this label).  
 P301+P312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.  
 P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
 P363: Wash contaminated clothing before reuse.  
 P301+P330+P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.  
 P330: Rinse mouth.  
 P405: Store locked up.  
 P501: Dispose of contents/container in accordance with local/regional/national/international regulations.

**Hazard description:****WHMIS-symbols:**

D2B - Toxic material causing other toxic effects  
 E - Corrosive material

**NFPA ratings (scale 0 - 4)**

Health = 2  
 Fire = 0  
 Reactivity = 0

**HMIS-ratings (scale 0 - 4)**

HEALTH	2	Health = 2
FIRE	0	Fire = 0
REACTIVITY	0	Reactivity = 0

## Safety Data Sheet

according to 1907/2006/EC (REACH),  
1272/2008/EC (CLP), and GHS

Printing date 25.05.2012

Revision: 23.05.2012

Trade name: SOLUJET









**2.3 Other hazards****Results of PBT and vPvB assessment**

PBT: Not applicable.

vPvB: Not applicable.

### 3 Composition/Information on Ingredients

**3.2 Mixture.****Description:** Mixture of substances listed below with nonhazardous additions.**Dangerous components:**

CAS: 1310-58-3 EINECS: 215-181-3 Index number: 019-002-00-8	Potassium hydroxide  C R34;  Xn R22	2.5-10%
	 Skin Corr. 1B, H314  Acute Tox. 4, H302	
CAS: 1344-09-8 EINECS: 215-687-4	Silicic acid, sodium salt  Xn R22;  Xi R37/38-41	2.5-10%
	 Eye Dam. 1, H318  Acute Tox. 4, H302; Skin Irrit. 2, H315; STOT SE 3, H335	

**Additional information:** For the wording of the listed risk phrases refer to section 16.

### 4 First Aid Measures

**4.1 Description of first aid measures****General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

**After inhalation:**

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

**After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

Rinse with 3% acetic acid and plenty of water.

Seek immediate medical advice.

**After eye contact:**

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

**After swallowing:**

Do not induce vomiting; call for medical help immediately.

Rinse out mouth and then drink plenty of water.

A person vomiting while laying on their back should be turned onto their side.

**4.2 Most important symptoms and effects, both acute and delayed:**

No further relevant information available.

**4.3 Indication of any immediate medical attention and special treatment needed:**

No further relevant information available.

**Safety Data Sheet**  
according to 1907/2006/EC (REACH),  
1272/2008/EC (CLP), and GHS

Printing date 25.05.2012

Revision: 23.05.2012

**Trade name: SOLUJET****5 Firefighting Measures****5.1 Extinguishing media:****Suitable extinguishing agents:**

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

**5.2 Special hazards arising from the substance or mixture:**

No further relevant information available.

**5.3 Advice for firefighters****Protective equipment:**

Wear self-contained respiratory protective device.

Wear fully protective suit.

**6 Accidental Release Measures****6.1 Personal precautions, protective equipment and emergency procedures:**

Particular danger of slipping on leaked/spilled product.

Wear protective equipment. Keep unprotected persons away.

**6.2 Environmental precautions:**

Suppress gases/fumes/haze with water spray.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

**6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Clean the affected area carefully; suitable cleaners are:

Warm water

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

**6.4 Reference to other sections:**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information

**7 Handling and Storage****7.1 Precautions for safe handling:**

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols

**Information about fire - and explosion protection:**

No special measures required.

**7.2 Conditions for safe storage, including any incompatibilities:****Storage:**

**Requirements to be met by storerooms and receptacles:** No special requirements.

**Information about storage in one common storage facility:**

Store away from foodstuffs.

Do not store together with acids.

**Further information about storage conditions:** Keep container tightly sealed.

**7.3 Specific end use(s):** No further relevant information available.

**Safety Data Sheet**  
 according to 1907/2006/EC (REACH),  
 1272/2008/EC (CLP), and GHS

Printing date 25.05.2012

Revision: 23.05.2012

Trade name: SOLUJET

**8 Exposure Controls/Personal Protection**

**Additional information about design of technical facilities:** No further data; see item 7.

**8.1 Control parameters**

**Ingredients with limit values that require monitoring at the workplace:**

**1310-58-3 potassium hydroxide**

REL (USA)	C2 mg/m <sup>3</sup>
TLV (USA)	Short-term value: C 2 mg/m <sup>3</sup>
EL (Canada)	Short-term value: C 2 mg/m <sup>3</sup>

**7681-52-9 sodium hypochlorite, solution**

WEEL (USA)	Short-term value: 2 mg/m <sup>3</sup>
------------	---------------------------------------

**Additional information:** The lists valid during the making were used as basis.

**8.2 Exposure controls:****Personal protective equipment:****General protective and hygienic measures:**

- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.

**Respiratory protection:**

- Not necessary if room is well-ventilated.
- Use suitable respiratory protective device in case of insufficient ventilation.
- Use suitable respiratory protective device when high concentrations are present.

**Protection of hands:**

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

**Material of gloves:**

- Recommended thickness of the material: ≥ 5 mm
- Nitrile rubber, NBR
- Natural rubber, NR
- Neoprene gloves
- Plastic gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

**Penetration time of glove material:**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye protection:**

Safety glasses

Goggles recommended during refilling

**Safety Data Sheet**  
according to 1907/2006/EC (REACH),  
1272/2008/EC (CLP), and GHS

Printing date 25.05.2012

Revision: 23.05.2012

Trade name: SOLUJET

## 9 Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties:

#### General Information:

#### Appearance:

Form:	Liquid
Colour:	Colourless
Odour:	Chlorine-like
Odour threshold:	Not determined.

pH-value at 20°C:	12.4 (1% Solution)
Change in condition:	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100°C
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	
Decomposition temperature:	Not determined.
Self-igniting:	Product is not self-igniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure at 20°C:	23 hPa
Density at 20°C:	1.28 g/cm <sup>3</sup>
Relative density:	Not determined.
Vapour density:	Not determined.
Evaporation rate:	Not determined.
Solubility in / Miscibility with water:	Fully miscible.
Segregation coefficient (n-octanol/water):	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
9.2 Other information:	No further relevant information available

**Safety Data Sheet**  
according to 1907/2006/EC (REACH),  
1272/2008/EC (CLP), and GHS

Printing date 25.05.2012

Revision: 23.05.2012

Trade name: SOLUJET

**10 Stability and Reactivity****10.1 Reactivity:****10.2 Chemical stability:****Thermal decomposition / conditions to be avoided:**

No decomposition if used according to specifications.

**10.3 Possibility of hazardous reactions:**

Reacts with acids, alkalis and oxidizing agents.

Contact with acids releases toxic gases.

**10.4 Conditions to avoid:**

No further relevant information available.

**10.5 Incompatible materials:**

Warning! Do not use together with other products. May release dangerous gases (chlorine).

**10.6 Hazardous decomposition products:**

Carbon monoxide and carbon dioxide

Chlorine

Hydrogen chloride (HCl)

Phosphorus compounds

**11 Toxicological Information****11.1 Information on toxicological effects:****Acute toxicity:****LD/LC50 values relevant for classification:****1310-58-3 potassium hydroxide**

Oral LD50 273 mg/kg (rat)

**Primary irritant effect:****On the skin:** Strong caustic effect on skin and mucous membranes.**On the eye:** Strong caustic effect. Strong irritant with the danger of severe eye injury.**Sensitization:** No sensitizing effects known.**Additional toxicological information:**

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

**12 Ecological Information****12.1 Toxicity:****Aquatic toxicity:** No further relevant information available.**12.2 Persistence and degradability:** No further relevant information available.**12.3 Bioaccumulative potential:** Does not accumulate in organisms**12.4 Mobility in soil:** No further relevant information available.**Additional ecological information:****General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values.

**Safety Data Sheet**  
 according to 1907/2006/EC (REACH),  
 1272/2008/EC (CLP), and GHS

Printing date 25.05.2012

Revision: 23.05.2012

Trade name: SOLUJET

A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water- dangerous

**12.5 Results of PBT and vPvB assessment:****PBT:** Not applicable.**vPvB:** Not applicable.**12.6 Other adverse effects:** No further relevant information available.**13 Disposal Considerations****13.1 Waste treatment methods:****Recommendation:**

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

Can be disposed of with household garbage with prior chemical-physical or biological treatment following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

The surfactant used in this product complies with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

**Uncleaned packaging:****Recommendation:** Disposal must be made according to official regulations.**Recommended cleansing agents:** Water, if necessary together with cleansing agents.**14 Transport Information****14.1 UN-Number:****DOT, ADR, IMDG, IATA:** UN1760**14.2 UN proper shipping name:****DOT, ADR, IMDG, IATA:** 1760 Corrosive Liquid, N.O.S. (Potassium Hydroxide)**14.3 Transport hazard class(es):****DOT:****Class:** 8 Corrosive substances.**Label:** 8**ADR****Class:** 8 (C5) Corrosive substances.**Label:** 8**IMDG, IATA****Class:** 8 Corrosive substances.**Label:** 8



**Safety Data Sheet**  
according to 1907/2006/EC (REACH),  
1272/2008/EC (CLP), and GHS

Printing date 25.05.2012

Revision: 23.05.2012

Trade name: SOLUJET

<b>14.4 Packing group:</b> DOT, ADR, IMDG, IATA:	II
<b>14.5 Environmental hazards:</b> Marine pollutant:	No
<b>14.6 Special precautions for user:</b> Danger code (Kemler): EMS Number: Segregation groups:	Warning: Corrosive substances. 80 F-A,S-B Alkalis
<b>14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:</b>	Not applicable.
<b>Transport/Additional information:</b>	
<b>ADR</b> Tunnel restriction code:	E
<b>UN "Model Regulation":</b>	Un 1760, Corrosive Liquid, N.O.S. (Potassium Hydroxide), 8, II

**15 Regulatory Information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:**

United States (USA):

SARA:

**Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

**Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

**TSCA (Toxic Substances Control Act):**

All ingredients are listed.

**Proposition 65 (California):****Chemicals known to cause cancer:**

None of the ingredients is listed.

**Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

**Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

**Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

**Carcinogenic Categories:****EPA (Environmental Protection Agency):**

None of the ingredients is listed.

**TLV (Threshold Limit Value established by ACGIH):**

None of the ingredients is listed.

**NIOSH-Ca (National Institute for Occupational Safety and Health):**

None of the ingredients is listed.

**OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients is listed.

**Safety Data Sheet**  
according to 1907/2006/EC (REACH),  
1272/2008/EC (CLP), and GHS

Printing date 25.05.2012

Revision: 23.05.2012

Trade name: SOLUJET

**Canadá:****Canadian Domestic Substances List (DSL):**

All ingredients are listed.

**Canadian Ingredient Disclosure list (limit 0.1%):**

None of the ingredients is listed.

**Canadian Ingredient Disclosure list (limit 1%):**

1310-58-3 | potassium hydroxide

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**16 Other Information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**Relevant phrases:**

H302: Harmful if swallowed.  
H314: Causes severe skin burns and eye damage.  
H318: Causes serious eye damage.  
H335: May cause respiratory irritation.

R22: Harmful if swallowed.  
R35: Causes severe burns.  
R37/38: Irritating to respiratory system and skin.  
R41: Risk of serious damage to eyes.

**Abbreviations and Acronyms**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road  
IMDG: International Maritime Code for Dangerous Goods  
DOT: US Department of Transportation  
IATA: International Air Transport Association  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
ACGIH: American Conference of Governmental Industrial Hygienists  
NFPA: National Fire Protection Association (USA)  
HMIS: Hazardous Materials Identification System (USA)  
WHMIS: Workplace Hazardous Materials Information System (Canada)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
Met. Corr. 1: Corrosive to metals, Hazard Category 1  
Acute Tox. 4: Acute toxicity, Hazard Category 4  
Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B  
Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1  
STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3